

Garden Tools
For Both
Professionals
and Hobbyists



ASSISTANT[®]
PROFESSIONAL TOOLS

ASSISTANT[®]
PROFESSIONAL TOOLS



ZHANGJIAGANG CITY
HIGH-TECH INTL CO., LTD.

ADD: 113, ShaZhou West Road,
Zhangjiagang, Jiang Su, China

Tel: +86 512 58255056

Fax: +86 512 58250056

E-mail: high-tech@263.net
sales@hightech.cc

Garden World

BRIEF

INTRODUCTION

CONTENTS


ASSISTANT[®]
 PROFESSIONAL TOOLS

ZHANGJIAGANG CITY HIGH-TECH

INTL CO., LTD. is a company integrates manufacturing and trade. We are specialized in manufacturing Garden shears, cooperate by **OEM** and **ODM** with customers home and abroad. In addition, We also export Hand Tools, Power Tools, Construction Tools, Safety Tools to enrich market diverse need.

ASSISTANT & PRECUT Shears are designed for Agriculture care and Home Garden care, and mainly featured by **Drop-Forged crafts**. They suit the needs of different end-users in their respective applications and have comfortable handles made of different materials providing strength, reduces fatigue and discomfort in use.

Pruning Shears have many choices because hand sizes vary and we recognize the need for maximum comfort whether users hands are small or large, the ergonomic design offers premium cutting performance.

Loppers are designed with various cutting heads allows fast, precise cutting action. The oval steel handles are the most common - they allow use of maximum power by tough shrubs. The strengthened aluminum handles are very sturdy, reducing arm strain and allowing longer trimming sessions. Traditional strong hardwood handles give the vintage look, but of solid grips, especially in cold weather.

Hedge Shears feature two types of blades, Narrow blades with smooth edges are designed specially for trimming leaves and soft shoots. Wavy blades with smooth edges are perfect for pruning edges and shrubs and soft shoots, the waves trap groups of twigs and keep them from sliding out.

ASSISTANT & PRECUT Garden Tools are of various kinds, our factory is keeping research and develop new models every year, and we pursue premium quality to service all customers, welcome to contact us!

ASSISTANT[®]
 PROFESSIONAL TOOLS



- | | | | |
|----|--------------------------|---------|--|
| 1 | Pruning Shears | P1-P2 | |
| 2 | Loppers | P03-P10 | |
| 3 | Hedge Shears | P11-P15 | |
| 4 | Pruning Shears | P17-P42 | |
| 5 | Loppers | P43-P47 | |
| 6 | Hedge Shears | P48-P52 | |
| 7 | Garden Tools | P53 | |
| 8 | Sheep Topiary Shears | P54 | |
| 9 | Grass Shears | P55 | |
| 10 | Grafting knife | P56 | |
| 11 | Pruning Saws | P57-P60 | |
| 12 | Garden Rake | P61 | |
| 13 | Spray Gun & Hose Fitting | P62-69 | |

**HT191217**

- Drop Forged Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 50-52HRC
- Hard chrome plating on Blade
- Drop Forged aluminum handles with oxidation treatment



45° Cut



8"

210 mm

20 mm

6/48

260g

**HT191218**

- Drop Forged Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 50-52HRC
- Hard chrome plating on Blade
- Drop Forged aluminum handles with oxidation treatment



45° Cut



8"

210 mm

20 mm

6/48

260g


**HT190325D**

- Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 50-52HRC
- Sturdy steel handles
- 65Mn steel Blade is available



Cut

45°



8½"

220 mm

20 mm

6/48

300g

**HT193310**

- Forged Rose cut & Hold Secateur
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



45° Cut



8"

200 mm

12 mm

6/48


240g

**HT193302**

- Drop Forged Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



45° Cut



8"

200 mm

20 mm

6/48


260g

**HT193303**

- Drop Forged Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



45° Cut



8"

200 mm

20 mm

6/48

254g

**HT193304**

- Drop Forged Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



45° Cut



8"

200 mm

20 mm

6/48

250 g

**HT193305**

- Drop Forged Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



45° Cut



8"

200 mm

20 mm

6/48


250 g

**HT193306**

- Drop Forged Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



45° Cut



8"

200 mm

20 mm

6/48


250 g

**HT193307**

- Drop Forged Anvil Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



90° Cut



8"

200 mm

20 mm

6/48


230 g

**HT193308**

- Drop Forged Rotating Bypass Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



45° Cut




8"

200 mm

20 mm

6/48


280 g

**HT193309**

- Drop Forged Anvil Pruning Shear
- Top quality SK5 steel Blade
- Heat treatment 54-56HRC
- Light weight Forged aluminum handles by oxidation treatment with PVC dipped



90° Cut



8"

210 mm

20 mm

6/48

257 g



45° Cut



90° Cut



Tool Length



Max Cut Capacity



Package Quantity



Tool Weight



DROP FORGED



45° Cut



90° Cut



Tool Length



Max Cut Capacity



Package Quantity




Tool Weight



DROP FORGED

Loppers



HT400420

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Oval steel tube handles with PP+TPE grips



27 1/2"



690 mm




40 mm



10



1280 g



HT440420

- **Drop Forged Lopper**
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Oval steel tube handles with PP+TPE grips



28 1/2"



720 mm



45 mm



10



1400 g



HT420420

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Oval steel tube handles with PP+TPE grips



26 3/4"



680 mm



30 mm



10



1130 g



HT160420

- **Bypass Lopper**
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Oval steel tube handles with PP+TPE grips



29 1/2"



750 mm



30 mm



10



1530 g



Loppers



HT400620

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Trapezoid aluminum tube handles with TPE grips



29 1/2"



750 mm



40 mm



10



1600 g



HT440620

- **Drop Forged Lopper**
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Trapezoid aluminum tube handles with TPE grips



31"



790 mm



45 mm



10



1700 g



HT420620

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Trapezoid aluminum tube handles with TPE grips



29 1/2"



750 mm



30 mm



10



1500 g



HT130620

- **Anvil Lopper**
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Trapezoid aluminum tube handles with TPE grips



30"



765 mm



30 mm



10



1750 g



HT430620

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Trapezoid aluminum tube handles with TPE grips



29 1/2"



750 mm



30 mm



10



1500 g



HT190620

- **Drop Forged Anvil Lopper**
- Top quality 65Mn steel Blade with Gear
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Trapezoid aluminum tube handles with TPE grips



30 3/4"



780 mm



50 mm



10



1760 g



45° Cut



90° Cut



Tool Length



Max Cut Capacity



Package Quantity



Tool Weight



Drop Forged



45° Cut



90° Cut



Tool Length



Max Cut Capacity



Package Quantity



Tool Weight



Drop Forged



HT401500

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Ash wood handles



26 3/4" 680 mm 40 mm 10 1020 g



HT441500

- **Drop Forged Lopper**
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Ash wood handles



27 1/2" 700 mm 45 mm 10 1280 g



HT421500

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Ash wood handles



26 3/4" 670 mm 30 mm 10 1020 g



HT191501

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Oval steel tube handles with grips



15" 380 mm 30 mm 10 410 g



HT431500

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Ash wood handles



26 3/4" 680 mm 30 mm 10 1108 g



HT191502

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Steel tube handles with PVC grips



23" 585 mm 40 mm 10 700 g



HT400818

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips



30 1/4" 770 mm 40 mm 10 1270 g




HT440818

- **Drop Forged Lopper**
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Strengthened aluminum tube handles with grips



31 1/2" 800 mm 45 mm 10 1390 g




HT420818

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips



30" 760 mm 30 mm 10 1120 g



HT130818

- **Anvil Lopper**
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Strengthened aluminum tube handles with grips




31" 785 mm 30 mm 10 1420 g




HT430818

- **Drop Forged Lopper**
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips



30" 760 mm 30 mm 10 1190 g



HT190818

- **Drop Forged Anvil Lopper**
- Top quality 65Mn steel Blade with Gear
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Strengthened aluminum tube handles with grips




31 1/2" 810 mm 50 mm 10 1440 g



HT451910

- Drop Forged Wedge Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Telescopic Oval steel tube handles, PP+TPR grips



HT450420

- Drop Forged Wedge Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Oval steel tube handles with PP+TPE grips



HT461910

- Forged Heavy Duty Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Telescopic Oval steel tube handles, PP+TPR grips



HT460420

- Forged Heavy Duty Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on Surface
- Oval steel tube handles with PP+TPE grips



HT471910

- Drop Forged Bypass Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Telescopic Oval steel tube handles, PP+TPR grips



HT470420

- Drop Forged Bypass Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Oval steel tube handles with PP+TPE grips



HT481818

- Drop Forged Heavy Duty Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with plastic grips




HT480818

- Drop Forged Heavy Duty Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips



HT461818

- Forged Heavy Duty Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips





HT460818

- Forged Heavy Duty Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips



HT471818

- Drop Forged Bypass Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips



HT470818

- Drop Forged Bypass Lopper
- Top quality Chrome Vanadium steel Blade
- Heat treatment 48HRC
- Machine Grinding on surface
- Strengthened aluminum tube handles with grips





HT401910

- Drop Forged Lopper
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Telescopic Oval steel tube handles, PP+TPR grips



24 3/4" - 34 1/4" 620mm-870 mm 40 mm 10 1700 g



HT441910

- Drop Forged Lopper
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Telescopic Oval steel tube handles, PP+TPR grips



24 3/4" - 34 3/4" 630mm-880mm 45 mm 10 1800 g



HT411910

- Drop Forged Lopper
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Telescopic Oval steel tube handles, PP+TPR grips



24 3/4" - 34 1/4" 620mm-870 mm 30 mm 10 1640 g



HT131910

- Anvil Lopper
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Telescopic Oval steel tube handles, PP+TPR grips



25 1/4" - 34 1/4" 640mm-880 mm 30 mm 10 1850 g



HT431910

- Drop Forged Lopper
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Telescopic Oval steel tube handles, PP+TPR grips



24 3/4" - 34 1/4" 620mm-870 mm 30 mm 10 1600 g



HT191910

- Drop Forged Anvil Lopper
- Top quality 65Mn steel Blade with Gear
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Telescopic Oval steel tube handles, PP+TPR grips



25 3/4" - 36 1/4" 650mm-920 mm 50 mm 10 1868 g



NEW PRODUCT

HT401818

- Drop Forged Lopper
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Strengthened Telescopic aluminum tube handles with grips



25 3/4" - 35 3/4" 650mm-910 mm 40 mm 10 1500 g



NEW PRODUCT

HT441818

- Drop Forged Lopper
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Strengthened Telescopic aluminum tube handles with grips



26 3/4" - 36 3/4" 670mm-930 mm 45 mm 10 1620 g



NEW PRODUCT

HT421818

- Drop Forged Lopper
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Strengthened Telescopic aluminum tube handles with grips



25 3/4" - 35 3/4" 650mm-910 mm 30 mm 10 1380 g



NEW PRODUCT

HT131818

- Anvil Lopper
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Strengthened Telescopic aluminum tube handles with grips



26 3/4" - 36 1/4" 670mm-920 mm 30 mm 10 1650 g



NEW PRODUCT

HT431818

- Drop Forged Lopper
- Top quality 55# High carbon steel Blade
- Heat treatment 50-52HRC
- Machine Grinding on surface
- Strengthened Telescopic aluminum tube handles with grips



25 3/4" - 35 3/4" 650mm-910 mm 30 mm 10 1420 g



HT191818

- Drop Forged Anvil Lopper
- Top quality 65Mn steel Blade with Gear
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Strengthened Telescopic aluminum tube handles with grips



26 3/4" - 37 3/4" 680mm-950 mm 50 mm 10 1668 g

**HT610410B**

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Bending Oval steel tube handles with PP+TRP grips



23 3/4" 590 mm 8 mm 10 1150 g

**HT810410B**

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Bending Oval steel tube handles with PP+TRP grips



23 3/4" 600 mm 8 mm 10 1250 g

**HT710410B**

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Bending Oval steel tube handles with PP+TRP grips



23 3/4" 600 mm 8 mm 10 1430 g

**HT910410B**

- Drop Forged Wavy Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Bending Oval steel tube handles with PP+TRP grips



23 3/4" 600 mm 8 mm 10 1270 g

**HT120410B**

- Power Gear Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Bending Oval steel tube handles with PP+TRP grips



23 3/4" 600 mm 8 mm 10 1195 g

**HT320410B**

- Wavy Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Bending Oval steel tube handles with PP+TRP grips



22 3/4" 580 mm 8 mm 10 1080 g

**HT610818**

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Sturdy aluminum tube handles with plastic grips



24" 610 mm 8 mm 10 1200 g

**HT810818**

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Sturdy aluminum tube handles with plastic grips



24 3/4" 620 mm 8 mm 10 1300 g

**HT710818**

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Sturdy aluminum tube handles with plastic grips



24 3/4" 620 mm 8 mm 10 1450 g

**HT910818**

- Drop Forged Wavy Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Sturdy aluminum tube handles with plastic grips



24 3/4" 620 mm 8 mm 10 1320 g

**HT120818**

- Power Gear Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Sturdy aluminum tube handles with plastic grips



24 3/4" 620 mm 8 mm 10 1245 g

**HT320818**

- Wavy Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Sturdy aluminum tube handles with plastic grips



23 3/4" 590 mm 8 mm 10 1130 g



Hedge Shears



HT611910

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Telescopic Oval steel tube handles with PP+TRP grips



25 3/4" - 33 1/2" 650mm-850 mm 8 mm 10 1900 g



HT811910

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Telescopic Oval steel tube handles with PP+TRP grips



26" - 33 1/2" 660mm-860 mm 8 mm 10 2000 g



HT121910

- Power Gear Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Telescopic Oval steel tube handles with PP+TRP grips



26 1/2" - 34 1/2" 670mm-870 mm 8 mm 10 1622 g



HT911910

- Drop Forged Wavy Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Telescopic Oval steel tube handles with PP+TRP grips



26" - 33 1/2" 660mm-860 mm 8 mm 10 2020 g



HT510428B

- Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Bending Oval steel tube handles with PP+TRP grips



23 3/4" 600 mm 8 mm 10 1120 g



HT520428B

- Wavy Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Bending Oval steel tube handles with PP+TRP grips



23 3/4" 600 mm 8 mm 10 1120 g



Hedge Shears



HT611818

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Strengthened Telescopic aluminum tube handles with grips



25" - 33 1/2" 640mm-850 mm 8 mm 10 1740 g



HT811818

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Strengthened Telescopic aluminum tube handles with grips



26 1/2" - 34 1/2" 670mm-870 mm 8 mm 10 1840 g



HT121818

- Power Gear Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Strengthened Telescopic aluminum tube handles with grips



26" - 33 1/2" 660mm-860 mm 8 mm 10 1470 g



HT911818

- Drop Forged Wavy Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Strengthened Telescopic aluminum tube handles with grips



26 1/2" - 34 1/2" 670mm-870 mm 8 mm 10 1860 g



HT510828B

- Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 48-50HRC
- Black Teflon coated on Blade
- Oval aluminum tube handles with PP+TPR grips



23 3/4" 600 mm 8 mm 10 1000 g



HT520828B

- Wavy Hedge Shear
- Top quality 65Mn steel Blade
- Heat treatment 50-52HRC
- Black Teflon coated on Blade
- Oval aluminum tube handles with PP+TPR grips



23 3/4" 600 mm 8 mm 10 1000 g



Hedge Shears



NEW
PRODUCT

HT611455R

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Ash wood handle



21 3/4"



550 mm



8 mm



10



1000 g



NEW
PRODUCT

HT811455

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Ash wood handle



22"



560 mm



8 mm



10



1160 g



NEW
PRODUCT

HT611455

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Ash wood handle



21 3/4"



550 mm



8 mm



10



1060 g



NEW
PRODUCT

HT911455

- Drop Forged Wavy Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Ash wood handle



22"



560 mm



8 mm



10



1180 g



NEW
PRODUCT

HT711455

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Ash wood handle



22"



560 mm



8 mm



10



1340 g



NEW
PRODUCT

HT621555

- Drop Forged Hedge Shear
- Top quality 55# High carbon steel Blade
- Heat treatment 48-50HRC
- Machine grinding on surface
- Wood handle



22"



560 mm



8 mm



10



1180 g



Garden World

